

CONTENTS OF VOLUME 33

- Adey, A. W.** Diffraction of microwaves by long metal cylinders, 407.
- Alexander, T. K.** See Heiberg, S. A., 34(L).
- Allen, L. J.** See Blackwell, J. H., 483.
- Archibald, W. J.** Field equations from particle equations, 565.
- Atwater, H. A., Lang, A. R., and Chalmers, B.** Some observations of surface phenomena appearing on lead single crystals, 352.
- Balass, N. L.** The resolution of four-dimensional vector fields and tensor fields, and its application to electrodynamics, 235.
- Bartholomew, G. A., Brown, F., Gove, H. E., Litherland, A. E., and Paul, E. B.** Capture radiation and neutrons from the bombardment of C^{14} with protons, 441.
- Bartholomew, R. M., Boyd, A. W., Brown, F., Hawkings, R. C., Lounsbury, M., and Merritt, W. F.** The half-life of Cl^{38} , 43.
- Bean, D. T. W.** See Britton, F. R., 668.
- Bedford, R. E. and Crooker, A. M.** The hyperfine structure of mercury extracted from neutron-irradiated gold, 25.
Correction to: The hyperfine structure of mercury extracted from neutron-irradiated gold, 492(L).
- Bell, R. E., Graham, R. L., and Yaffe, L.** The thermal neutron capture cross section of Au^{198} and the half-life of Au^{199} , 457.
- Benson, G. C.** See Schreiber, H. P., 534.
- Benson, G. C. and Schreiber, H. P.** A method for the evaluation of some lattice sums occurring in calculations of physical properties of crystals. II, 529.
- Bird, J. R. and Preston, M. A.** A study of nucleon forces with repulsive cores. I. The effect of cores of finite strength, 399.
- Blackwell, J. H., Fewer, D. R., Allen, L. J., and Cass, R. S.** An audio-frequency circuit model of the one-dimensional Schroedinger equation and its sources of error, 483.
- Bloom, J. N.** See Chatterjee, S. D., 577.
- Boyd, A. W.** See Bartholomew, R. M., 43.
- Boyd, A. W., Brown, F., and Lounsbury, M.** Mass spectrometric study of natural and neutron-irradiated chlorine, 35.
- Britton, F. R. and Bean, D. T. W.** Long range forces between hydrogen molecules, 668.
- Brockhouse, B. N.** Neutron scattering and the frequency distribution of the normal modes of vanadium metal, 889(L).
- Brown, F.** See Bartholomew, G. A., 441; Bartholomew, R. M., 43; Boyd, A. W., 35.
- Brown, S. B.** See Trainor, L. E. H., 110.
- Cass, R. S.** See Blackwell, J. H., 483.
- Chadwick, G. B.** See Sample, J. T., 828.
- Chalmers, B.** See Atwater, H. A., 352; Elbaum, C., 196.
- Chapman, J. H.** See Littlewood, C. A., 11.
- Chapman, J. H., Davies, K., and Littlewood, C. A.** Radio observations of the ionosphere at oblique incidence, 713.
- Chatterjee, S. D. and Bloom, J. N.** On diurnal variation in cosmic-ray intensity at Ottawa, 577.
- Crooker, A. M.** See Bedford, R. E., 25, 492(L).
- Crooker, A. M. and Ross, W. L.** A note on black body radiation, 257.
- Cumming, C.** The ν_2 infrared band of ammonia, 635.
- Currie, B. W.** Auroral heights over West-Central Canada, 773.
- Currie, B. W. and Weaver, J. T.** Vertical extent of auroral arcs and bands, 611.
- Dauphinee, T. M.** An apparatus for comparison of thermocouples, 275.
- Davies, K.** See Chapman, J. H., 713.
- Dirac, P. A. M.** Gauge-invariant formulation of quantum electrodynamics, 650.
Note on the use of non-orthogonal wave functions in perturbation calculations, 709.
- Dixon, W. R.** Energy and angular distributions of photoneutrons produced by 70-Mev. X-rays, 785.
- Douglas, A. E.** The spectrum of the Si_2 molecule, 801.

CONTENTS OF VOLUME 33

- Adey, A. W.** Diffraction of microwaves by long metal cylinders, 407.
- Alexander, T. K.** See Heiberg, S. A., 34(L).
- Allen, L. J.** See Blackwell, J. H., 483.
- Archibald, W. J.** Field equations from particle equations, 565.
- Atwater, H. A., Lang, A. R., and Chalmers, B.** Some observations of surface phenomena appearing on lead single crystals, 352.
- Balass, N. L.** The resolution of four-dimensional vector fields and tensor fields, and its application to electrodynamics, 235.
- Bartholomew, G. A., Brown, F., Gove, H. E., Litherland, A. E., and Paul, E. B.** Capture radiation and neutrons from the bombardment of C^{14} with protons, 441.
- Bartholomew, R. M., Boyd, A. W., Brown, F., Hawkings, R. C., Lounsbury, M., and Merritt, W. F.** The half-life of Cl^{38} , 43.
- Bean, D. T. W.** See Britton, F. R., 668.
- Bedford, R. E. and Crooker, A. M.** The hyperfine structure of mercury extracted from neutron-irradiated gold, 25.
Correction to: The hyperfine structure of mercury extracted from neutron-irradiated gold, 492(L).
- Bell, R. E., Graham, R. L., and Yaffe, L.** The thermal neutron capture cross section of Au^{198} and the half-life of Au^{199} , 457.
- Benson, G. C.** See Schreiber, H. P., 534.
- Benson, G. C. and Schreiber, H. P.** A method for the evaluation of some lattice sums occurring in calculations of physical properties of crystals. II, 529.
- Bird, J. R. and Preston, M. A.** A study of nucleon forces with repulsive cores. I. The effect of cores of finite strength, 399.
- Blackwell, J. H., Fewer, D. R., Allen, L. J., and Cass, R. S.** An audio-frequency circuit model of the one-dimensional Schroedinger equation and its sources of error, 483.
- Bloom, J. N.** See Chatterjee, S. D., 577.
- Boyd, A. W.** See Bartholomew, R. M., 43.
- Boyd, A. W., Brown, F., and Lounsbury, M.** Mass spectrometric study of natural and neutron-irradiated chlorine, 35.
- Britton, F. R. and Bean, D. T. W.** Long range forces between hydrogen molecules, 668.
- Brockhouse, B. N.** Neutron scattering and the frequency distribution of the normal modes of vanadium metal, 889(L).
- Brown, F.** See Bartholomew, G. A., 441; Bartholomew, R. M., 43; Boyd, A. W., 35.
- Brown, S. B.** See Trainor, L. E. H., 110.
- Cass, R. S.** See Blackwell, J. H., 483.
- Chadwick, G. B.** See Sample, J. T., 828.
- Chalmers, B.** See Atwater, H. A., 352; Elbaum, C., 196.
- Chapman, J. H.** See Littlewood, C. A., 11.
- Chapman, J. H., Davies, K., and Littlewood, C. A.** Radio observations of the ionosphere at oblique incidence, 713.
- Chatterjee, S. D. and Bloom, J. N.** On diurnal variation in cosmic-ray intensity at Ottawa, 577.
- Crooker, A. M.** See Bedford, R. E., 25, 492(L).
- Crooker, A. M. and Ross, W. L.** A note on black body radiation, 257.
- Cumming, C.** The ν_2 infrared band of ammonia, 635.
- Currie, B. W.** Auroral heights over West-Central Canada, 773.
- Currie, B. W. and Weaver, J. T.** Vertical extent of auroral arcs and bands, 611.
- Dauphinee, T. M.** An apparatus for comparison of thermocouples, 275.
- Davies, K.** See Chapman, J. H., 713.
- Dirac, P. A. M.** Gauge-invariant formulation of quantum electrodynamics, 650.
Note on the use of non-orthogonal wave functions in perturbation calculations, 709.
- Dixon, W. R.** Energy and angular distributions of photoneutrons produced by 70-Mev. X-rays, 785.
- Douglas, A. E.** The spectrum of the Si_2 molecule, 801.

- Douglas, A. E. and Möller, C. K.** Predissociations of the $C^{18}O$ and $C^{13}O$ molecules, 125.
- Eades, R. G.** An investigation of the nuclear resonance absorption spectrum of Al^{27} in a single crystal of euclase, 286.
- Elbaum, C. and Chalmers, B.** The topography of solid-liquid interfaces of metal crystals growing from the melt, 196.
- Elliott, L. G., Preston, M. A., and Wolfson, J. L.** A note on the spin and parity of 2.69 day Au^{198} , 607.
- Feldman, T.** See Romanko, J., 588.
- Feldman, T., Romanko, J., and Welsh, H. L.** The ν_2 Raman band of methane, 138.
- Fewer, D. R.** See Blackwell, J. H., 483.
- Forsyth, P. A.** See Hines, C. O., 609(L).
- Forsyth, P. A., Hines, C. O., and Vogan, E. L.** Diurnal variations in the number of shower meteors detected by the forward-scattering of radio waves. Part II. Experiment, 600.
- Forsyth, P. A. and Vogan, E. L.** Forward-scattering of radio waves by meteor trails, 176.
- Fraser, P. A.** See Romanowski, M., 871.
- Gibbons, J. J.** Some exact solutions of the Lorentz invariant problem of the motion of two electric fluids, 819.
- Gove, H. E.** See Bartholomew, G. A., 441.
- Gow, K. V.** See Martius, U. M., 225.
- Graham, R. L.** See Bell, R. E., 457.
- Griffiths, G. M.** The pulse height distribution from a sodium iodide single crystal scintillation counter and the measurement of gamma ray fluxes, 209.
- Gulbis, F.** See Keech, G. L., 148(L).
- Guptill, E. W., Hoyt, C. K., and Robinson, D. K.** The velocity and attenuation of sound in solid argon, 397(L).
- Hart, J. and Simmons, D. A.** A note concerning the conductivity of liquid dielectrics, 54.
- Hartz, T. R.** Radio star scintillations and the ionosphere, 476.
- Hawkings, R. C.** See Bartholomew, R. M., 43.
- Heaps, H. S.** The effect of a random noise background upon the detection of a random signal, 1.
The effect of a random noise background upon the detection of a sinusoidal signal, 509.
- Hector, F. S.** See Meek, J. H., 364.
- Heiberg, S. A.** See James, D. B., 219.
- Heiberg, S. A., James, D. B., and Alexander, T. K.** The angular distribution of the gamma-rays from the reaction $C^{12}(p, \gamma p')C^{13}$, 34(L).
- Heikkilä, W. J. and Hollis Hallett, A. C.** The viscosity of liquid helium II, 420.
- Henderson, J. T. and Mungall, A. G.** The velocity of propagation of electromagnetic waves, 265.
- Henderson, J. T. and Romanowski, M.** A standard of mutual inductance, 856.
- Henshaw, D. G. and Hurst, D. G.** The zero-point kinetic energy of liquid helium, 797.
- Herzberg, G. and Hugo, T. J.** Forbidden transitions in diatomic molecules. IV. The $a^1\Sigma^+ \leftarrow X^1\Sigma^+$ and $e^1\Sigma^- \leftarrow X^1\Sigma^+$ absorption bands of carbon monoxide, 757.
- Hines, C. O.** Diurnal variations in the number of shower meteors detected by the forward-scattering of radio waves. Part I. Theory, 493.
See also Forsyth, P. A., 600.
- Hines, C. O., Forsyth, P. A., Vogan, E. L., and Pugh, R. E.** The dependence of meteoric forward-scattering on antenna patterns and orientations, 609(L).
- Hollis Hallett, A. C.** See Heikkilä, W. J., 420.
- Hoyt, C. K.** See Guptill, E. W., 397(L).
- Hugo, T. J.** See Herzberg, G., 757; Naudé, S. M., 573.
- Hunten, D. M.** See Scrimger, J. A., 780.
- Hurst, D. G.** See Henshaw, D. G., 797.
- Husain, A. and Pickup, E.** Nuclear interaction of K mesons, 260.
- Jackson, J. D.** On the interpretation of nuclear resonance fluorescence experiments, 575(L).
- James, D. B.** See Heiberg, S. A., 34(L).
- James, D. B., Kubelka, W., Heiberg, S. A., and Warren, J. B.** The pulse height distribution from boron trifluoride proportional counters irradiated with 4.87-Mev. neutrons, 219.
- Johnson, F. A.** The new isotopes Cd^{104} and Ag^{104} , 841.

- Kaempfer, F. A.** Some considerations regarding the principle of phase invariance, 436.
- Keech, G. L. and Gulbis, F.** On anomalies in the absorption of cosmic rays in lead, 148(L).
- Kelly, F. M. and Pearson, W. B.** The rubidium transition at $\sim 180^\circ\text{K}$, 17.
- Krotkov, R.** Low energy neutron cross section of manganese, 622.
- Kubelka, W.** See James, D. B., 219.
- Kumar, K. and Preston, M. A.** Masses of nuclei in isobaric sequences, 298.
- Lang, A. R.** See Atwater, H. A., 352.
- Leachman, R. B. and Schafer, W. D.** A calorimetric determination of the average kinetic energy of the fragments from U^{238} fission, 357.
- Leger, E. G.** A panoramic mass spectroscopy for kinetic studies, 74.
- van de Lindt, W. J.** A note concerning forces and torques on spheroidal bodies in cavities, 113.
- Litherland, A. E.** See Bartholomew, G. A., 441.
- Littlewood, C. A.** See Chapman, J. H., 713.
- Littlewood, C. A. and Chapman, J. H.** A measurement at Ottawa of the change in height with lunar time of the E region of the ionosphere, 11.
- Livesey, D. L.** A note on nuclear temperatures at low excitation energies, 391.
- Lounsbury, M.** See Bartholomew, R. M., 43; Boyd, A. W., 35.
- Lovejoy, D. R.** Surface tension of He^3 , 49.
- Manchester, F. D.** Adiabatic oscillations in liquid helium II, 146(L).
- Marr, G. V. and Nicholls, R. W.** The emission of the $\lambda 4050 \text{ \AA}$ bands and an associated violet continuum in oxyacetylene flames, 394.
- Martius, U. M.** The initial oxidation of nickel, 466.
- Martius, U. M. and Gow, K. V.** Ferromagnetic domain patterns on single crystals and bicrystals of nickel, 225.
- Meek, J. H. and Hector, F. S.** A recording magnetic variometer, 364.
- Melaika, E. A.** See Petruska, J. A., 640.
- Merritt, W. F.** See Bartholomew, R. M., 43.
- Michiel, W. S. and Whyte, G. N.** International comparisons of the Canadian primary radium standard, 521.
- Miescher, E.** Fine structure of NO^+ and NO emission spectra in the Schumann region, 355(L).
- Møller, C. K.** See Douglas, A. E., 125.
- Mungall, A. G.** See Henderson, J. T., 265.
- Naudé, S. M. and Hugo, T. J.** The emission spectrum of AlF in the region $1700\text{--}2000 \text{ \AA}$, 573.
- Neilson, G. C.** See Sample, J. T., 350, 828.
- Nicholls, R. W.** See Marr, G. V., 394.
- Northover, F. H.** Long distance V.H.F. fields. I. Partial reflection from a standard atmosphere, 241.
Long distance V.H.F. fields. II. Refractivity profiles containing "sharp layers", 316.
Long distance V.H.F. fields. III. The case of two elevated layers, 347.
- Ogilvie, K. W.** The proton component of cosmic rays at aircraft altitudes, 555.
Cosmic-ray experiments with a proton velocity selector, 746.
- Paul, E. B.** See Bartholomew, G. A., 441.
- Pearson, W. B.** A method of examining structural changes of metals on deformation in liquid helium: Examination of indium, 473.
See also Kelly, F. M., 17.
- Petruska, J. A., Melaika, E. A., and Tomlinson, R. H.** The fission yields of the cesium isotopes formed in the thermal neutron fission of U^{235} and the neutron absorption cross section of Xe^{138} , 640.
- Petruska, J. A., Thode, H. G., and Tomlinson, R. H.** The absolute fission yields of twenty-eight mass chains in the thermal neutron fission of U^{235} , 693.
- Pickup, E.** See Husain, A., 260.
- Preston, M. A.** See Bird, J. R., 399; Elliott, L. G., 607; Kumar, K., 298.
- Pugh, R. E.** Field theoretical description of the superconducting state, 679.
See also Hines, C. O., 609(L).
- Robinson, D. K.** See Guptill, E. W., 397(L).
- Robinson, R. O. A.** The Bethe-Salpeter equation for many-body systems, 369.
 α^3 corrections to the ground state of helium, 707(L).

- Romanko, J.** See Feldman, T., 138.
- Romanko, J., Feldman, T., and Welsh, H. L.** The Raman spectrum of ethane, 588.
- Romanowski, M.** See Henderson, J. T., 856.
- Romanowski, M. and Fraser, P. A.** Considerations on the primary winding of the Campbell standard inductor, 871.
- Ross, W. L.** See Crooker, A. M., 257.
- Rutter, J. W.** See Smith, V. G., 723.
- Sample, J. T., Neilson, G. C., Chadwick, G. B., and Warren, J. B.** Gamma rays from the deuteron bombardment of boron 10, 828.
- Sample, J. T., Neilson, G. C., and Warren, J. B.** Performance of a fast neutron collimator, 350.
- Schafer, W. D.** See Leachman, R. B., 357.
- Schreiber, H. P.** See Benson, G. C., 529.
- Schreiber, H. P. and Benson, G. C.** Edge energies of alkali halide crystals, 534.
- Scrimger, J. A. and Hunten, D. M.** The intensity at the bottom of the Fraunhofer *D* lines, 780.
- Shaw, E. A. G.** On the determination of electromechanical coupling coefficients in a polyelectrostatic piezoelectric vibrator, 504.
- Simmons, D. A.** See Hart, J., 54.
- Smith, V. G., Tiller, W. A., and Rutter, J. W.** A mathematical analysis of solute redistribution during solidification, 723.
- Stacey, F. D.** The fluctuating field model of ferromagnetism with particular reference to nickel, 661.
- Stoicheff, B. P.** High resolution Raman spectroscopy of gases. V. Rotational spectra of allene, allene- d_4 , and allene-1,1- d_2 , 811.
- Tauber, G. E.** On equations of motion in general relativity, 824.
- Thiessen, G. J.** On the efficiency of an acoustic line source with progressive phase shift, 618.
- Thode, H. G.** See Petruska, J. A., 693; Wanless, R. K., 541.
- Tiller, W. A.** See Smith, V. G., 723.
- Tomlinson, R. H.** See Petruska, J. A., 640, 693; Wiles, D. M., 133.
- Trainor, L. E. H. and Brown, S. B.** A note on the X-ray spectrum of a 70 Mev. synchrotron, 110.
- Vogan, E. L.** See Forsyth, P. A., 176, 600; Hines, C. O., 609(L).
- Volkoff, G. M.** See Waterman, H. H., 156.
- Wait, J. R.** Scattering of a plane wave from a circular dielectric cylinder at oblique incidence, 189.
- Scattering of electromagnetic waves from a "lossy" strip on a conducting plane, 383.
- Wanless, R. K. and Thode, H. G.** The fission yields of isotopes of xenon and krypton in the neutron fission of U^{235} and U^{238} , 541.
- Warren, J. B.** See James, D. B., 219; Sample, J. T., 350, 828.
- Waterman, H. H. and Volkoff, G. M.** Nuclear magnetic resonance spectrum of B^{11} in kernite, 156.
- Weaver, J. T.** See Currie, B. W., 611.
- Welsh, H. L.** See Feldman, T., 138; Romanko, J., 588.
- White, G. K.** The electrical resistance of dilute copper alloys at very low temperatures, 119.
- White, G. K. and Woods, S. B.** Thermal and electrical conductivities of solids at low temperatures, 58.
- Whyte, G. N.** Measurements of spectral and angular distributions of secondary gamma-rays in matter, 96.
- See also Michel, W. S., 521.
- Wiles, D. M. and Tomlinson, R. H.** The half-life of Sr^{90} , 133.
- Wolfson, J. L.** A note on evidence for a 2.158 Mev. level in Ni^{60} , 886.
- See also Elliott, L. G., 607.
- Woods, S. B.** See White, G. K., 58.
- Wu, T.-Y.** A suggested method for studying the mechanism of energy transfer in collisions, 151.
- Yaffe, L.** See Bell, R. E., 457.

CORRECTIONS

Vol. 29, 1951. In the paper *The magnetic dipole over the horizontally stratified earth* by James R. Wait, pp. 577-592,

(1) the denominator $2\pi\sigma\rho^4$ in Equation (38) should read $2\pi\sigma\rho^3$,

(2) the + sign preceding the integral in Equation (52) should be a - sign.

Vol. 32, 1954. In *Calculated diffraction patterns of dielectric rods at centimetric wavelengths* by Charlotte Froese and James R. Wait, pp. 775-781, the relation following equation [1] should read

$$\phi_0 = k[\sqrt{(x+x_0)^2+y^2}-x_0].$$

